

## JOURNAL

### MAJOR TRANSIT AND TRANSPORTATION CONSTRUCTION TRAFFIC MANAGEMENT COMMITTEE

Thursday, April 28, 2016, 9:00 AM

1149 S. Broadway, 1<sup>st</sup> Floor Conference Room No. 150, Los Angeles, CA 90015

Committee Members: Curtis Tran (BOE), Chair  
Omar Braish (BOE), Co-Chair  
Marina Chang (LADOT)  
Victor Yang (LADOT)  
Debra Scott (BSS)  
Frank Van Blarcom (ConAD)  
Marco Arroyo (LADOT)

It is the responsibility of the Major Transportation Construction Traffic Management Committee to review applications for permits to work within the streets and determine work site traffic control conditions within the Transit Project Impact Area (LAMC 62.250).

To be placed on the agenda, a brief description of the project must be emailed to [ENG.TCTMC@lacity.org](mailto:ENG.TCTMC@lacity.org) by 12 PM on Thursday in order to present the following Thursday. Additionally, it is the policy of the Committee to allow public comment on individual agenda items subject to such time limits as the Committee Chairman may deem appropriate.

Appeals Committee - The General Manager of the Department of Transportation, the City Engineer, the Director of the Bureau of Street Services, and the Director of the Bureau of Contract Administration, or their designees. The City Engineer shall be the Chairperson of the Appeals Committee. The Appeals Committee considers appeals regarding Worksite Traffic Control Conditions and night work. The President of the Board of Public Works decides those appeals heard by the Appeals Committee that end in a tie vote. If you would like to appeal the committee's determination, please email [ENG.TCTMC@lacity.org](mailto:ENG.TCTMC@lacity.org) with your request.

It is requested that individuals who require the services of a translator contact [ENG.TCTMC@lacity.org](mailto:ENG.TCTMC@lacity.org) no later than the day preceding the meeting. Whenever possible, a translator will be provided.

Sign language interpreters, assistive listening devices, or other auxiliary aids and/or services may be provided upon request. To ensure availability, you are advised to make your request at least 72 hours prior to the meeting you wish to attend.

SI REQUIERE SERVICIOS DE TRADUCCION, FAVOR DE NOTIFICAR LA OFICINA CON 24 HORAS POR ANTICIPADO.

---

PUBLIC COMMENT: The Committee will hear public testimony on agenda items under the Committee's jurisdiction.

MINUTES: Review and adopt April 21, 2016 meeting minutes.

AGENDA ITEMS:

- 1) Claudia Kelly (FJS Cable Engineering Inc)  
8<sup>th</sup> St and Orange Grove Ave to Wilshire Blvd 3060 – **PLE**: Trench from existing maintenance hole (MH# 24388) to P/L on Orange Grove Ave. Placing 1-4” and 2-1.25” conduit and (1) 2’x3’ Wilcon vault. SO4476 – 6060 Wilshire Blvd.
  - U-P#: 2016003611DISPOSITION: **160205-PLE – TLR issued.**
  
- 2) Javier Mohar  
Western Ave 874 S – **PLE**: Install scaffolding at location.
  - BSS#: 2016002264DISPOSITION: **Move to 5/5/16 agenda.**
  
- 3) Morteza Delpasand (DC Engineering Group)  
Orange Dr South of Wilshire Blvd, Wilshire Blvd between Orange Dr and Mansfield Ave, Mansfield Ave South of Wilshire Blvd – **PLE**: Replace curb and gutter on Wilshire Blvd for the whole block. On Orange Dr and Mansfield Ave replace 100’ half width of the street, curb, gutter and sidewalk.
  - B-P#: BR003555DISPOSITION: **Item returned to applicant.**
  
- 4) Shahram Fadakar (LADWP-P)  
3<sup>rd</sup> St 8488 W – **PLE**: Install 1” domestic service.
  - U-P#: 2016004638DISPOSITION: **160206-PLE – TLR issued.**
  
- 5) Shahram Fadakar (LADWP-P)  
3<sup>rd</sup> St 8318 W – **PLE**: Install 1” domestic service.
  - U-P#: 2016004640DISPOSITION: **160207-PLE – TLR issued.**
  
- 6) Shahram Fadakar (LADWP-P)  
Olympic Blvd 6441 and 6501 W – **PLE**: Emergency service repair and renewal, after the fact. Paving only.
  - U-P#: 2016004642DISPOSITION: **160208-PLE – TLR issued.**
  
- 7) Danny Breceda (So Cal Gas)  
Irolo St 720 and 7<sup>th</sup> St – **PLE**: Excavate to install anodes (vertically) per Cathodic Protection Compliance. No cut and bore required.
  - U-P#: 2016002439DISPOSITION: **No show – Item not presented to committee.**
  
- 8) Harry Gordon (So Cal Gas)  
Rimpau Blvd 665 S – **PLE**: Cut will be in the north sidewalk of Wilshire Blvd, blocking the bus lane only. No other cuts.
  - U-P#: 2016002465DISPOSITION: **160209-PLE – Pending revised Traffic Control Plan from applicant.**

- 9) Joseph Woodard (Traffic Management, Inc/Matt Construction)  
Wilshire Blvd 6245 – **PLE**: Traffic control service. Construction fence to parkway, create new pedestrian walkway at parkway near curb on Wilshire Blvd.  
• BSS#: 2016002402  
DISPOSITION: **160210-PLE – TLR issued.**
- 10) Tim McHale (TPR Traffic Solutions)  
Wilshire Blvd 6245 – **PLE**: Installation of a sewer line.  
• S-P#: 2016500507  
DISPOSITION: **160211-PLE – Item under review by committee.**
- 11) Jeff Herbert (Roadway Construction Service)  
54<sup>th</sup> St 2801 W and 6<sup>th</sup> Ave – **CTC**: Lift cell site equipment.  
• BSS#: 2016002405  
DISPOSITION: **160213-CTC – Pending revised cover letter from applicant.**
- 12) Steve Nazemi (DHS & Associates, Inc)  
Pico Blvd 11650 – **EX2**: Sidewalk repair and closure of exiting two driveways.  
• B-P#: BR402696  
DISPOSITION: **Item returned to applicant.**
- 13) Steve Nazemi (DHS & Associates, Inc)  
Olympic Blvd 11451 W – **EX2**: Sidewalk repair and closure of exiting driveways, curb, gutter, catch basin and asphalt work.  
• B-P#: BR402750  
DISPOSITION: **Item returned to applicant.**
- 14) Daniel Barraza (FJS Cable Engineering, Inc)  
Olympic Blvd 12200 W – **EX2**: Pick up existing Freedom conduit on Olympic Blvd W and trench placing 2-1.25" new Freedom conduit to new 2'x3' Freedom vaults (A6001974TAPCX18) in concrete sidewalks.  
• U-P#: 2016004765  
DISPOSITION: **160214-EX2 – Item under review by committee.**
- 15) John Johnston (AT&T)  
Wilshire Blvd West of Rimpau Blvd S – **PLE**: Excavate to place conduit from tie in to existing conduit (Wye cast) to customer's property line.  
• U-P#: 2016004437  
DISPOSITION: **160215-PLE – TLR issued.**
- 16) John Johnston (AT&T)  
Vernon Ave E S/S East of Central Ave S – **SCSR**: Excavate for the placing new underground conduit and ground beds.  
• U-P#: 2016003892  
DISPOSITION: **160216-SCSR – TLR issued.**

17) Joey Miller (SECC Corporation)

Main St 200 N – **RC**: Level 3 Communications will remove existing 17"x30" TWC Handhole and place a new Level 3 24"x36" Handhole in the sidewalk. Place Approx. 25' of 1-2" HDPE Conduit from New Level 3 Handhole to existing City of LA Handhole.

- BSS#:

DISPOSITION: **No show – Item not presented to committee.**

18) Veronica Hale (ALCOA Traffic Control)

Spring St 145 S and 2<sup>nd</sup> St – **RC**: Crane set up on 2<sup>nd</sup> St. Glass hoisting to the 6<sup>th</sup> floor balcony.

- BSS#: 2016002113

DISPOSITION: **Item returned to applicant.**

19) Nuri Tutkun (Yupana Tech)

6<sup>th</sup> St and Figueroa ST – **RC**: A scissor lift will be placed on the sidewalk to reach an AT&T antenna. The sidewalk will need to be closed down to troubleshoot the antenna, radios, and all AT&T equipment.

- BSS#:

DISPOSITION: **No show – Item not presented to committee.**

20) Matt Coumans (Right of Way, Inc/California Crane)

Hill St 607 S – **RC**: Use of 100-ton crane to replace elevator equipment.

- BSS#: 2016002334

DISPOSITION: **160217-RC – TLR issued.**

21) Genovevo Ruiz (Swinerton Builders)

Temple St 210 W – **RC**: Tenant improvement project to build new jury assembly room at the first floor level. Project requires dumpster to be located on Spring St and Temple St during construction due to limited space in courthouse facility. Project duration is 20-weeks (06/06/2016 to 10/21/2016).

- BSS#: 2016001479

DISPOSITION: **Item moved to 5/5/16 agenda per applicant's email request.**

22) Clayton Przekop (Burnham Nationwide, Inc)

Wilshire Blvd 900 – **RC**: 24-hour Saturday closure to hoist and install swimming pool into place.

- BSS#: 2016001992
- Ref #: 160178-RC

DISPOSITION: **Pending revised Traffic Control Plan from applicant.**

23) Tim McHale (TPR Traffic Solutions)

2<sup>nd</sup> St 902 – **RC**: Grind and overlay of 2<sup>nd</sup> St from Hewitt to the end of the property line.

- B-P#: BR003347
- Ref #: 160169-RC

DISPOSITION: **160212-RC – Item under review by committee.**

- 24) John Loehnert (So Cal Gas)  
Olive St 801 S and 8<sup>th</sup> St – **RC**: Install new gas service pipe across 8<sup>th</sup> St from north side to South side into property.  
• U-P#: 2016002095  
DISPOSITION: **Item moved to 5/5/16 agenda per applicant's email request.**
- 25) Tim Coumans (California Traffic Control)  
Broadway 301 N and Temple St – **RC**: 70-ton crane to remove sulfuric acid tank from the County of Los Angeles Central Heating and Refrigeration Plant.  
• BSS#: 2016002395  
DISPOSITION: **160218-RC – TLR issued.**
- 26) Joseph Woodard (Traffic Management, Inc/High Angel Services, LLC)  
Grand Ave 300 S – **RC**: Traffic control service for helicopter lift. Arterial road closures on Grand Ave, Olive St, 3<sup>rd</sup> St and 4<sup>th</sup> St.  
• BSS#: 2016002404  
DISPOSITION: **160219-RC – Pending revised Traffic Control Plans from applicant.**
- 27) Adolfo Gutierrez (PWBOE)  
Beverly Blvd to the North, Figueroa St to the East, Burlington Ave to the West and 12<sup>th</sup> St to the South – **RC**: 7<sup>th</sup> St and Valencia St Project. Removing and replacing and/or rehabilitating approximately 3.21 reach-miles of 6", 8", 10" and 12" sewer lines.  
• BSS#:  
DISPOSITION: **160220-RC – Item under review by committee.**
- 28) Luke Snyder (Synergy Engineering Services, Inc/Crown Castle)  
8<sup>th</sup> St W and Francisco St – **RC**: Trench/excavate to place conduit for placement of fiber optic cable.  
• U-P#: 2016003998  
DISPOSITION: **160221-RC – TLR issued.**
- 29) Luke Snyder (Synergy Engineering Services, Inc/Crown Castle)  
7<sup>th</sup> St E east of Anderson St S – **SSB**: Trench/excavate to place conduit for placement of fiber optic cable and install (1) new 2'x3' pull box.  
• U-P#: 2016004819  
DISPOSITION: **160222-SSB – Item under review by committee.**
- 30) Luke Snyder (Synergy Engineering Services, Inc/Crown Castle)  
7<sup>th</sup> St and Santa Fe Ave – **SSB**: Trench/excavate for placement of fiber optic cable and install (2) new 2'x3' pull box.  
• U-P#: 2016003449  
DISPOSITION: **160223-SSB – Item under review by committee.**
- 31) Luke Snyder (Synergy Engineering Services, Inc/Crown Castle)  
7<sup>th</sup> St E and Hollins St – **SSB**: Trench/excavate to place conduit for placement of fiber optic cable.  
• U-P#: 2016003667  
DISPOSITION: **160224-SSB – Pending revised Traffic Control Plan from applicant.**

32) Old business items, Haul Route submittals and miscellaneous discussion items.

- 160130-RC – TLR issued.
- 160182-SSB – TLR issued.
- 160194-RC – TLR issued.
- 160201-RC – TLR issued.
- 160225-CTC – Haul Route.